

## Catalogue SUPER K



Technical Catalogue | cod. CT011  
Edition | April 2026  
Revision | 12  
Classification | Controlled

## CHARACTERISTICS

Super K modular shelving is a fully galvanised shelving solution suited for all domestic environments. Its elegant design is perfectly matched to modern décor while its robust nature lends itself for storage needs in any domestic basement, attic, or garage.


Super K shelving is completely boltless and requires only a pair of safety gloves and a plastic mallet for an intuitive assembly.

A single bay, or “starter module” consists of two frames with the desired number of shelf levels. To create an “add on module”, apply only one frame and shelf levels.

A row is formed by a single starter module or by combining a starter with a number of add on modules.

| Module dimensions             |                   |
|-------------------------------|-------------------|
|                               | Dimensions        |
| Shelving height               | 1 m (916 mm)      |
|                               | 1,5 m (1444 mm)   |
|                               | 1,7 m (1708 mm)   |
|                               | 2 x 1 m (1832 mm) |
|                               | 2 m (1972 mm)     |
|                               | 2,1 m (2104 mm)   |
|                               | 2,2 m (2236 mm)   |
|                               | 2,4 m (2368 mm)   |
| Shelf width                   | 60 cm             |
|                               | 90 cm             |
|                               | 105 cm            |
|                               | 120 cm            |
| Shelf depth                   | 32 cm             |
|                               | 40 cm             |
|                               | 45 cm             |
|                               | 60 cm             |
| Shelf height adjustment pitch | 33 mm             |

| Shelving components |    |  |
|---------------------|----|--|
| Frame               | 1  | Upright  |
|                     | 2  | Spacer   |
|                     | 3  | Diagonal (frame > 2 m)                         |
|                     | 4  | Top cap / Base plate                           |
|                     | 5  | Super K Upright Splice (for 2 x 1m frame only) |
| Wall Anchor         | 6  | Wall fastening bracket                         |
|                     | 7  | Wall anchor                                    |
| Shelf               | 8  | Beam   |
|                     | 9  | Steel shelf panel                              |
|                     | 10 | Plastic shelf panel                            |
|                     | 11 | Safety clip                                    |




## SUPER K ORDER CODES

### Super K - Frame

| Frame height (H) \ Frame depth (D) | 1 m (916 mm) | 1,5 m (1444 mm) | 1,7 m (1708 mm) | 2 x 1 m (1832 mm) | 2 m (1972 mm) | 2,1 m (2104 mm) | 2,2 m (2236 mm) | 2,4 m (2368 mm) | 2,5 m (2500 mm) |
|------------------------------------|--------------|-----------------|-----------------|-------------------|---------------|-----------------|-----------------|-----------------|-----------------|
| 32 cm                              | 74000.98     | 74004.98        | 74006.98        | 74007.98          | 74008.98      | 74050.98        | 74051.98        | 74052.98        | 74053.98        |
| 40 cm                              | 74010.98     | 74014.98        | 74016.98        | 74017.98          | 74018.98      | 74054.98        | 74055.98        | 74056.98        | 74057.98        |
| 45 cm                              | 74020.98     | 74024.98        | 74026.98        | 74027.98          | 74028.98      | 74058.98        | 74089.98        | 74090.98        | 74091.98        |
| 50 cm                              | 74030.98     | 74034.98        | 74036.98        | 74037.98          | 74038.98      | 74092.98        | 74093.98        | 74094.98        | 74095.98        |
| 60 cm                              | 74040.98     | 74044.98        | 74046.98        | 74047.98          | 74048.98      | 74096.98        | 74097.98        | 74098.98        | 74099.98        |

- The frame codes contain the following components:
- 2 x uprights (4 uprights for 2x1m height);
  - 1 m: 2 spacers
  - 1,5 m | 1,7 m | 2 m: 3 spacers;
  - 2,1 m: 2 spacers and 2 diagonals
  - 2,2 m | 2,4 m | 2,5 m: 3 spacers and 2 diagonals
  - 2x1 m: 4 spacers;
  - 4 x top caps / base plates.
  - 2 x Super K Upright Splice (for 2 x 1m frame only).



### Super K - Steel shelf panels

| Shelf width (W) \ Shelf depth (D) | 60 cm    | 90 cm    | 105 cm   | 120 cm   |
|-----------------------------------|----------|----------|----------|----------|
| 32 cm                             | 84001.95 | 84011.95 | 84021.95 | 84031.95 |
| 40 cm                             | 84004.95 | 84014.95 | 84024.95 | 84034.95 |
| 45 cm                             | 84005.95 | 84015.95 | 84025.95 | 84035.95 |
| 50 cm                             | 84007.95 | 84017.95 | 84027.95 | 84037.95 |
| 60 cm                             | 84010.95 | 84020.95 | 84030.95 | 84040.95 |

- These shelf codes contain the following components:
- 2 x beams;
  - 1 x shelf panel (W=60cm and W=90cm) or 2 shelf panels (W=105cm and W=120cm);
  - 4 x safety clips.

### Additional accessories

|  |             |
|--|-------------|
| Wall fastening bracket                       | 65022.95    |
| Plastic anchor bolt M8x40 + cross head screw | V1000480.98 |

- Per frame the following quantities are required:
- 1 x wall fastening bracket + 2 x anchor bolt for frames with  $H \leq 2$  m
  - 2 x wall fastening bracket + 4 x anchor bolt for frames  $H > 2$  m


**Super K - Plastic shelf panels**

Shelf depth (D)

| colour     | Shelf width (W) | 32 cm         | 40 cm         | 50 cm         | 60 cm         |
|------------|-----------------|---------------|---------------|---------------|---------------|
| Blue       | 60 cm           | PSK32060DB.98 | PSK40060DB.98 | PSK50060DB.98 | PSK60060DB.98 |
|            | 90 cm           | PSK32090DB.98 | PSK40090DB.98 | PSK50090DB.98 | PSK60090DB.98 |
|            | 105 cm          | PSK32105DB.98 | PSK40105DB.98 | PSK50105DB.98 | -             |
|            | 120 cm          | PSK32120DB.98 | PSK40120DB.98 | PSK50120DB.98 | PSK60120DB.98 |
| White      | 60 cm           | PSK32060WH.98 | PSK40060WH.98 | PSK50060WH.98 | PSK60060WH.98 |
|            | 90 cm           | PSK32090WH.98 | PSK40090WH.98 | PSK50090WH.98 | PSK60090WH.98 |
|            | 105 cm          | PSK32105WH.98 | PSK40105WH.98 | PSK50105WH.98 | -             |
|            | 120 cm          | PSK32120WH.98 | PSK40120WH.98 | PSK50120WH.98 | PSK60120WH.98 |
| Black      | 60 cm           | PSK32060BL.98 | PSK40060BL.98 | PSK50060BL.98 | PSK60060BL.98 |
|            | 90 cm           | PSK32090BL.98 | PSK40090BL.98 | PSK50090BL.98 | PSK60090BL.98 |
|            | 105 cm          | PSK32105BL.98 | PSK40105BL.98 | PSK50105BL.98 | -             |
|            | 120 cm          | PSK32120BL.98 | PSK40120BL.98 | PSK50120BL.98 | PSK60120BL.98 |
| Dark Green | 60 cm           | PSK32060DG.98 | PSK40060DG.98 | PSK50060DG.98 | PSK60060DG.98 |
|            | 90 cm           | PSK32090DG.98 | PSK40090DG.98 | PSK50090DG.98 | PSK60090DG.98 |
|            | 105 cm          | PSK32105DG.98 | PSK40105DG.98 | PSK50105DG.98 | -             |
|            | 120 cm          | PSK32120DG.98 | PSK40120DG.98 | PSK50120DG.98 | PSK60120DG.98 |
| Yellow     | 60 cm           | PSK32060YL.98 | PSK40060YL.98 | PSK50060YL.98 | PSK60060YL.98 |
|            | 90 cm           | PSK32090YL.98 | PSK40090YL.98 | PSK50090YL.98 | PSK60090YL.98 |
|            | 105 cm          | PSK32105YL.98 | PSK40105YL.98 | PSK50105YL.98 | -             |
|            | 120 cm          | PSK32120YL.98 | PSK40120YL.98 | PSK50120YL.98 | PSK60120YL.98 |
| Cyan       | 60 cm           | PSK32060LB.98 | PSK40060LB.98 | PSK50060LB.98 | PSK60060LB.98 |
|            | 90 cm           | PSK32090LB.98 | PSK40090LB.98 | PSK50090LB.98 | PSK60090LB.98 |
|            | 105 cm          | PSK32105LB.98 | PSK40105LB.98 | PSK50105LB.98 | -             |
|            | 120 cm          | PSK32120LB.98 | PSK40120LB.98 | PSK50120LB.98 | PSK60120LB.98 |

These shelf codes contain the following components:

- 2 x beams;
- 2 x plastic 30 cm wide shelf panels (W=60 cm)
- 3 x plastic 30 cm wide shelf panels (W=90 cm)
- 3 x plastic 30 cm wide shelf panels and 1, 15 cm panel (W=105 cm)
- 4 x plastic 30 cm wide shelf panels (W=120 cm);
- 4 x safety clips.



**Super K - Modular containers**


| Shelf depth (D) | Shelf width (W) |          |          |
|-----------------|-----------------|----------|----------|
|                 | 60 cm           | 90 cm    | 120 cm   |
| 32 cm           | 84051.95        | 84061.95 | 84081.95 |
| 40 cm           | 84054.95        | 84064.95 | 84084.95 |
| 45 cm           | 84055.95        | 84065.95 | 84085.95 |
| 50 cm           | 84057.95        | 84067.95 | 84087.95 |
| 60 cm           | 84060.95        | 84070.95 | 84090.95 |

**Accessories**

| Divider Depth (D) |          |
|-------------------|----------|
| 32 cm             | 61517.95 |
| 40 cm             | 61518.95 |
| 45 cm             | 61516.95 |
| 50 cm             | 61519.95 |
| 60 cm             | 61520.95 |

These shelf codes contain the following components:

- 2 x beams;
- 2 x 30 cm wide modular containers (W=60 cm)
- 3 x 30 cm wide modular containers (W=90 cm)
- 4 x 30 cm wide modular containers (W=120 cm);
- 2 x modular container fastening clips
- 4 x beam safety clips
- 2 x dividers




## SUPER K COMPONENTS

### 1 - Uprights

| Height (H)      | Code     |
|-----------------|----------|
| 1 m (916 mm)    | 10400.95 |
| 1,5 m (1444 mm) | 10404.95 |
| 1,7 m (1708 mm) | 10406.95 |
| 2 m (1972 mm)   | 10408.95 |


Every frame uses 2 uprights.



### 2 - Spacers

| Depth (D) | Code     |
|-----------|----------|
| 32 cm     | 41001.95 |
| 40 cm     | 41004.95 |
| 45 cm     | 41005.95 |
| 50 cm     | 41007.95 |
| 60 cm     | 41010.95 |


2 spacers are used for 1m and 1,2 m uprights while all other frames use 3 spacers



### 3 - Diagonals

| Depth (D) | Code     |
|-----------|----------|
| 32 cm     | 46001.95 |
| 40 cm     | 46004.95 |
| 45 cm     | 46005.95 |
| 50 cm     | 46007.95 |
| 60 cm     | 46010.95 |


For uprights > 2 m use 2 diagonals per frame



### 8 - Beams


| Length (L) | Code      |
|------------|-----------|
| 60 cm      | 30000K.95 |
| 90 cm      | 30001K.95 |
| 105 cm     | 30003K.95 |
| 120 cm     | 30004K.95 |

2 beams every shelf level.  
2 safety clips every beam.





### Accessories

|  | Code        |
|--|-------------|
| 4 - Plastic top cap / Baseplate                        | 68055.98    |
| 5 - Super K upright splice                             | 10410.95    |
| 6 - Wall fastening bracket                             | 65022.95    |
| 7 - Plastic anchor bolt M8x40 + cross head screw M5x50 | VI000480.98 |
| 11 - Safety clip                                       | 67016.95    |



### 9 - Steel shelf panels

| Depth (D) | Width (W) | 60 cm Code | 90 cm Code | 105 cm Code         | 120 cm Code  |
|-----------|-----------|------------|------------|---------------------|--------------|
| 32 cm     |           | 51101.95   | 51601.95   | 51101.95 + 51701.95 | 2 x 51101.95 |
| 40 cm     |           | 51104.95   | 51604.95   | 51104.95 + 51704.95 | 2 x 51104.95 |
| 45 cm     |           | 51105.95   | 51605.95   | 51105.95 + 51705.95 | 2 x 51105.95 |
| 50 cm     |           | 51107.95   | 51607.95   | 51107.95 + 51707.95 | 2 x 51107.95 |
| 60 cm     |           | 51110.95   | 51610.95   | 51110.95 + 51710.95 | 2 x 51110.95 |




### 10 - Plastic shelf panels

| Depth (D) | Width (W) | Colour Code  |              |              |              |              |              |
|-----------|-----------|--------------|--------------|--------------|--------------|--------------|--------------|
|           |           | White        | Yellow       | Cyan         | Blue         | Green        | Black        |
| 32 cm     | 15 cm     | PL15X32C1.98 | PL15X32A1.98 | PL15X32B1.98 | PL15X32B2.98 | PL15X32V1.98 | PL15X32N1.98 |
| 40 cm     |           | PL15X40C1.98 | PL15X40A1.98 | PL15X40B1.98 | PL15X40B2.98 | PL15X40V1.98 | PL15X40N1.98 |
| 50 cm     |           | PL15X50C1.98 | PL15X50A1.98 | PL15X50B1.98 | PL15X50B2.98 | PL15X50V1.98 | PL15X50N1.98 |
| 32 cm     | 30 cm     | PL30X32C1.98 | PL30X32A1.98 | PL30X32B1.98 | PL30X32B2.98 | PL30X32V1.98 | PL30X32N1.98 |
| 40 cm     |           | PL30X40C1.98 | PL30X40A1.98 | PL30X40B1.98 | PL30X40B2.98 | PL30X40V1.98 | PL30X40N1.98 |
| 50 cm     |           | PL30X50C1.98 | PL30X50A1.98 | PL30X50B1.98 | PL30X50B2.98 | PL30X50V1.98 | PL30X50N1.98 |
| 60 cm     |           | PL30X60C1.98 | PL30X60A1.98 | PL30X60B1.98 | PL30X60B2.98 | PL30X60V1.98 | PL30X60N1.98 |

### 12 - Modular containers

| Depth (D) | Width (W) | 60 cm Code   | 90 cm Code   | 120 cm Code  |
|-----------|-----------|--------------|--------------|--------------|
| 32 cm     |           | 2 x 61017.95 | 3 x 61017.95 | 4 x 61017.95 |
| 40 cm     |           | 2 x 61018.95 | 3 x 61018.95 | 4 x 61018.95 |
| 45 cm     |           | 2 x 61016.95 | 3 x 61016.95 | 4 x 61016.95 |
| 50 cm     |           | 2 x 61019.95 | 3 x 61019.95 | 4 x 61019.95 |
| 60 cm     |           | 2 x 61020.95 | 3 x 61020.95 | 4 x 61020.95 |



## ASSEMBLY

Read the "CHARACTERISTICS" section of this document (page 2) before proceeding with the assembly of the Super K shelving. The assembly requires only safety gloves and a plastic tip mallet; alternatively a hammer may be used if wrapped with a rag to protect the components during assembly.


For frames equal or lower than 2m, a frame is assembled using 2 or 3 spacers positioned in the following locations:

- One spacer near the bottom;
- One spacer near the top;
- One spacer at the centre on the opposite side of the frame (not required for the H=916mm frames).



Frames equal or higher than 2,1m use both spacers and diagonals according to the configuration in figure 1.

To assemble spacer/diagonal ( A ) to the frame uprights, press the bulged portion of the spacer/diagonal connection slots against the upright side connection lugs and tap into seat with hammer, alternating between the left and right side of the spacer/diagonal, until it clips over the "safety clip nibs". Rotate the frame so that the spacer/diagonal ( B ) (not required for 916mm high frames) is placed on the opposite side of the upright.


Finish the frame assembly by covering the uprights with the four plastic top caps / base plates top and bottom.



Slide the beam connection slots over the upright front connection lugs and press down on the beam to create connection, making sure that both top and bottom beam slots are engaged. Press between the beam connection slots against




the upright with thumb to further assist the connection of both top and bottom beam slots. The hammer may be used to seat the beam once the connection lugs have been engaged.



The safety clip acts by cupping the bottom upright and beam connection lug and by folding over the top of the beam. Insert the top of the safety clip through the upright beam connection lug. Cup the bottom beam connection lug by pressing upwards


against the upright. Fold the safety clip downwards over the beam with thumb. Complete the assembly by resting the shelf panel into the beam groove.



### Jointed frames

To assemble the H=1832mm uprights connect two short upright segments to each other using the upright splice bracket. Using a hammer, tap the bracket onto the three bottom front connection lugs of the upper segment until the bracket "clicks" into position. Then connect the assembly onto the upper part

of the lower segment until the bracket "clicks" into position. Once the two uprights are assembled, complete the frame assembly by installing the four provided spacers as shown in the figure below.



## APPLICATION GUIDE

Frames must always be anchored to a wall using the specified wall tie brackets. The anchor bolt type mentioned in the previous pages is suited for applications to a masonry or concrete wall.

Refer to anchor supplier if fixing to other forms of wall construction (e.g. dry wall or wood).

Shelving module notes:

- » The maximum load of one shelving module is 500kg\*;
- » Always use safety gloves during assembly or modification of shelf levels;
- » Do not climb the shelving;
- » Do not place unstable or unsecured items that could cause harm or damage if they fall from the shelving;

- » If components of the shelving are visibly damaged (deformed, ripped, excessive beam deflection, shelving leaning to one side, etc), unload the shelving and correct the configuration or substitute damaged components.
- » The maximum centre distance between levels is 500 mm;
- » The maximum shelving height is 2,5 m.

The tables below refer to uniformly distributed loads for single shelves applied in conformity with the instructions of this document.

**Super K - Steel shelf admissible loads [kg\*]**

| Shelf depth (D) | Shelf width (W) |       |        |        |
|-----------------|-----------------|-------|--------|--------|
|                 | 60 cm           | 90 cm | 105 cm | 120 cm |
| 32 cm           | 160             | 195   | 165    | 100    |
| 40 cm           | 125             | 185   | 165    | 100    |
| 45 cm           | 115             | 175   | 165    | 100    |
| 50 cm           | 105             | 155   | 165    | 100    |
| 60 cm           | 95              | 145   | 165    | 100    |

Uniformly distributed load.  
\* 1kg=1kgf~1daN=10N

**Super K - Plastic shelf admissible loads [kg\*]**


| Shelf depth (D) | Shelf width (W) |       |        |        |
|-----------------|-----------------|-------|--------|--------|
|                 | 60 cm           | 90 cm | 105 cm | 120 cm |
| 32 cm           | 70              | 105   | 120    | 100    |
| 40 cm           | 70              | 105   | 120    | 100    |
| 50 cm           | 50              | 75    | 85     | 100    |
| 60 cm           | 30              | 45    | -      | 60     |

Uniformly distributed load.  
Application temperature range between 7° and 30°C.  
\* 1kg=1kgf~1daN=10N

**Super K - Modular container admissible loads [kg\*]**

| Shelf width |       |
|-------------|-------|
| 60 cm       | 90 cm |
| 100         | 80    |

Uniformly distributed load.  
\* 1kg=1kgf~1daN=10N





## SUPER K - ORDER MODULE

Send this module to [commerciale@metalsistem.com](mailto:commerciale@metalsistem.com)

### SUPER K FRAME 1 m > 2 m

| Height (H) \ Depth (D) | 1 m                           |          | 1.5 m                         |          | 1.7 m                         |          | 2 x 1 m                       |          | 2 m                           |          |
|------------------------|-------------------------------|----------|-------------------------------|----------|-------------------------------|----------|-------------------------------|----------|-------------------------------|----------|
|                        | Q.ty                          | Code     |
| 32 cm                  | <input type="checkbox"/> ____ | 74000.98 | <input type="checkbox"/> ____ | 74004.98 | <input type="checkbox"/> ____ | 74006.98 | <input type="checkbox"/> ____ | 74007.98 | <input type="checkbox"/> ____ | 74008.98 |
| 40 cm                  | <input type="checkbox"/> ____ | 74010.98 | <input type="checkbox"/> ____ | 74014.98 | <input type="checkbox"/> ____ | 74016.98 | <input type="checkbox"/> ____ | 74017.98 | <input type="checkbox"/> ____ | 74018.98 |
| 45 cm                  | <input type="checkbox"/> ____ | 74020.98 | <input type="checkbox"/> ____ | 74024.98 | <input type="checkbox"/> ____ | 74026.98 | <input type="checkbox"/> ____ | 74027.98 | <input type="checkbox"/> ____ | 74028.98 |
| 50 cm                  | <input type="checkbox"/> ____ | 74030.98 | <input type="checkbox"/> ____ | 74034.98 | <input type="checkbox"/> ____ | 74036.98 | <input type="checkbox"/> ____ | 74037.98 | <input type="checkbox"/> ____ | 74038.98 |
| 60 cm                  | <input type="checkbox"/> ____ | 74040.98 | <input type="checkbox"/> ____ | 74044.98 | <input type="checkbox"/> ____ | 74046.98 | <input type="checkbox"/> ____ | 74047.98 | <input type="checkbox"/> ____ | 74048.98 |



### SUPER K FRAME 2.1 m > 2.5 m


| Altezza (H) \ Prof. (P) | 2.1 m                         |          | 2.2 m                         |          | 2.4 m                         |          | 2.5 m                         |          |
|-------------------------|-------------------------------|----------|-------------------------------|----------|-------------------------------|----------|-------------------------------|----------|
|                         | Q.tà                          | Cod.     | Q.tà                          | Cod.     | Q.tà                          | Cod.     | Q.tà                          | Cod.     |
| 32 cm                   | <input type="checkbox"/> ____ | 77100.98 | <input type="checkbox"/> ____ | 77101.98 | <input type="checkbox"/> ____ | 77102.98 | <input type="checkbox"/> ____ | 77055.98 |
| 40 cm                   | <input type="checkbox"/> ____ | 77103.98 | <input type="checkbox"/> ____ | 77104.98 | <input type="checkbox"/> ____ | 77105.98 | <input type="checkbox"/> ____ | 77058.98 |
| 45 cm                   | <input type="checkbox"/> ____ | 77106.98 | <input type="checkbox"/> ____ | 77107.98 | <input type="checkbox"/> ____ | 77108.98 | <input type="checkbox"/> ____ | 77059.98 |
| 50 cm                   | <input type="checkbox"/> ____ | 77109.98 | <input type="checkbox"/> ____ | 77110.98 | <input type="checkbox"/> ____ | 77111.98 | <input type="checkbox"/> ____ | 77061.98 |
| 60 cm                   | <input type="checkbox"/> ____ | 77112.98 | <input type="checkbox"/> ____ | 77113.98 | <input type="checkbox"/> ____ | 77114.98 | <input type="checkbox"/> ____ | 77064.98 |

### Accessories

|  |                               |             |
|--|-------------------------------|-------------|
| Wall fastening bracket                       | <input type="checkbox"/> ____ | 65022.95    |
| Plastic anchor bolt M8x40 + cross head screw | <input type="checkbox"/> ____ | VI000480.98 |

### STEEL - SHELF LEVELS

| Depth (D) \ Width (W) | 60 cm                         |          | 90 cm                         |          | 105 cm                        |          | 120 cm                        |          |
|-----------------------|-------------------------------|----------|-------------------------------|----------|-------------------------------|----------|-------------------------------|----------|
|                       | Q.ty                          | Code     | Q.ty                          | Code     | Q.ty                          | Code     | Q.ty                          | Code     |
| 32 cm                 | <input type="checkbox"/> ____ | 84001.95 | <input type="checkbox"/> ____ | 84011.95 | <input type="checkbox"/> ____ | 84021.95 | <input type="checkbox"/> ____ | 84031.95 |
| 40 cm                 | <input type="checkbox"/> ____ | 84004.95 | <input type="checkbox"/> ____ | 84014.95 | <input type="checkbox"/> ____ | 84024.95 | <input type="checkbox"/> ____ | 84034.95 |
| 45 cm                 | <input type="checkbox"/> ____ | 84005.95 | <input type="checkbox"/> ____ | 84015.95 | <input type="checkbox"/> ____ | 84025.95 | <input type="checkbox"/> ____ | 84035.95 |
| 50 cm                 | <input type="checkbox"/> ____ | 84007.95 | <input type="checkbox"/> ____ | 84017.95 | <input type="checkbox"/> ____ | 84027.95 | <input type="checkbox"/> ____ | 84037.95 |
| 60 cm                 | <input type="checkbox"/> ____ | 84010.95 | <input type="checkbox"/> ____ | 84020.95 | <input type="checkbox"/> ____ | 84030.95 | <input type="checkbox"/> ____ | 84040.95 |



## SUPER K - ORDER MODULE

Send this module to [commerciale@metalsistem.com](mailto:commerciale@metalsistem.com)


### PLASTIC - SHELF LEVELS

| Depth (D) | 60 cm                          |              | 90 cm                          |              | 105 cm                         |              | 120 cm                         |              |
|-----------|--------------------------------|--------------|--------------------------------|--------------|--------------------------------|--------------|--------------------------------|--------------|
|           | Q.ty                           | Code         | Q.ty                           | Code         | Q.ty                           | Code         | Q.ty                           | Code         |
| 32 cm     | <input type="checkbox"/> _____ | PSK32060__98 | <input type="checkbox"/> _____ | PSK32090__98 | <input type="checkbox"/> _____ | PSK32105__98 | <input type="checkbox"/> _____ | PSK32120__98 |
| 40 cm     | <input type="checkbox"/> _____ | PSK40060__98 | <input type="checkbox"/> _____ | PSK40090__98 | <input type="checkbox"/> _____ | PSK40105__98 | <input type="checkbox"/> _____ | PSK40120__98 |
| 50 cm     | <input type="checkbox"/> _____ | PSK50060__98 | <input type="checkbox"/> _____ | PSK50090__98 | <input type="checkbox"/> _____ | PSK50105__98 | <input type="checkbox"/> _____ | PSK50120__98 |
| 60 cm     | <input type="checkbox"/> _____ | PSK60060__98 | <input type="checkbox"/> _____ | PSK60090__98 | -                              | -            | <input type="checkbox"/> _____ | PSK60120__98 |

| Colour | White (WH)  | Yellow (YL)   | Blue (DB)   | Cyan (LB)  | Black (BL)  | Green (DG)  |
|--------|---|---|---|--|---|---|
|        |  |  |  |  |  |  |

Example: 50cm x 90cm Cyan shelf panel - order code: PSK50090LB.98




D  
W

### MODULAR CONTAINER - SHELF LEVELS

### DIVIDERS

| Depth (D) | 60 cm                          |          | 90 cm                          |          | 120 cm                         |          | Q.ty                           | Code     |
|-----------|--------------------------------|----------|--------------------------------|----------|--------------------------------|----------|--------------------------------|----------|
|           | Q.ty                           | Code     | Q.ty                           | Code     | Q.ty                           | Code     |                                |          |
| 32 cm     | <input type="checkbox"/> _____ | 84051.95 | <input type="checkbox"/> _____ | 84061.95 | <input type="checkbox"/> _____ | 84081.95 | <input type="checkbox"/> _____ | 61517.95 |
| 40 cm     | <input type="checkbox"/> _____ | 84054.95 | <input type="checkbox"/> _____ | 84064.95 | <input type="checkbox"/> _____ | 84084.95 | <input type="checkbox"/> _____ | 61518.95 |
| 45 cm     | <input type="checkbox"/> _____ | 84055.95 | <input type="checkbox"/> _____ | 84065.95 | <input type="checkbox"/> _____ | 84085.95 | <input type="checkbox"/> _____ | 61516.95 |
| 50 cm     | <input type="checkbox"/> _____ | 84057.95 | <input type="checkbox"/> _____ | 84067.95 | <input type="checkbox"/> _____ | 84087.95 | <input type="checkbox"/> _____ | 61519.95 |
| 60 cm     | <input type="checkbox"/> _____ | 84060.95 | <input type="checkbox"/> _____ | 84070.95 | <input type="checkbox"/> _____ | 84090.95 | <input type="checkbox"/> _____ | 61520.95 |




D  
W

## ACCESSORIES


### CONTAINERS WITH DIVIDERS - H 100

| Depth (D) | Width (W) |          |          |
|-----------|-----------|----------|----------|
|           | 90 cm     | 105 cm   | 120 cm   |
| 40 cm     | 85001.95  | 85011.95 | 85021.95 |
| 45 cm     | 85002.95  | 85012.95 | 85022.95 |
| 50 cm     | 85004.95  | 85014.95 | 85024.95 |
| 60 cm     | 85007.95  | 85017.95 | 85027.95 |





### CONTAINERS WITH DIVIDERS - H 200

| Depth (D) | Width (W) |          |          |
|-----------|-----------|----------|----------|
|           | 90 cm     | 105 cm   | 120 cm   |
| 40 cm     | 85031.95  | 85041.95 | 85051.95 |
| 45 cm     | 85032.95  | 85042.95 | 85052.95 |
| 50 cm     | 85034.95  | 85044.95 | 85054.95 |
| 60 cm     | 85037.95  | 85047.95 | 85057.95 |




### CONTAINERS WITH DIVIDERS - Trapezoidal

| Depth (D) | Width (W) |          |          |
|-----------|-----------|----------|----------|
|           | 90 cm     | 105 cm   | 120 cm   |
| 40 cm     | 85061.95  | 85071.95 | 85081.95 |
| 45 cm     | 85062.95  | 85072.95 | 85082.95 |
| 50 cm     | 85064.95  | 85074.95 | 85084.95 |
| 60 cm     | 85067.95  | 85077.95 | 85087.95 |
| 600cm     | 85070.95  | 85080.95 | 85090.95 |




### SHELF SIDE RUNNERS - Frame direction

| Depth (D) | Height (H) |          |
|-----------|------------|----------|
|           | 10 cm      | 20 cm    |
| 40 cm     | 64131.95   | 64141.95 |
| 45 cm     | 64136.95   | 64146.95 |
| 50 cm     | 64132.95   | 64142.95 |
| 60 cm     | 64133.95   | 64143.95 |



### DIVIDERS - Rectangular

| Depth (D) | Height (H) |          |
|-----------|------------|----------|
|           | 10 cm      | 20 cm    |
| 32 cm     | 67151.95   | 67152.95 |
| 40 cm     | 67154.95   | 67153.95 |
| 45 cm     | 67166.95   | 67165.95 |
| 50 cm     | 67157.95   | 67155.95 |
| 60 cm     | 67160.95   | 67156.95 |
| Spec.     | 99196.95   | 99197.95 |



### DIVIDERS - Trapezoidal

| Depth (D) |          |
|-----------|----------|
| 32 cm     | 67181.95 |
| 40 cm     | 67184.95 |
| 45 cm     | 67185.95 |
| 50 cm     | 67187.95 |
| 60 cm     | 67190.95 |

## ACCESSORIES

### RECTANGULAR SLIDING SEPARATORS H100


| Depth (D) |          |
|-----------|----------|
| 32 cm     | 67200.95 |
| 40 cm     | 67204.95 |
| 45 cm     | 67205.95 |
| 50 cm     | 67206.95 |
| 60 cm     | 67208.95 |

### RECTANGULAR SLIDING SEPARATORS H200

| Depth (D) |          |
|-----------|----------|
| 32 cm     | 67220.95 |
| 40 cm     | 67224.95 |
| 45 cm     | 67225.95 |
| 50 cm     | 67226.95 |
| 60 cm     | 67228.95 |


### TRAPEZOIDAL SLIDING SEPARATORS

| Depth (D) |          |
|-----------|----------|
| 32 cm     | 67170.95 |
| 40 cm     | 67172.95 |
| 45 cm     | 67173.95 |
| 50 cm     | 67174.95 |
| 60 cm     | 67176.95 |




### COVER SHEET

| Depth (D) | Width (W)   |             |             |
|-----------|-------------|-------------|-------------|
|           | 90 cm       | 105 cm      | 120 cm      |
| 32 cm     | AL210210.95 | AL210216.95 | AL210222.95 |
| 40 cm     | AL210211.95 | AL210217.95 | AL210223.95 |
| 45 cm     | AL210252.95 | AL210253.95 | AL210254.95 |
| 50 cm     | AL210212.95 | AL210218.95 | AL210224.95 |
| 60 cm     | AL210213.95 | AL210219.95 | AL210225.95 |



### COVER SHEET WITH BACKSTOP

| Depth (D) | Width (W)   |             |             |
|-----------|-------------|-------------|-------------|
|           | 90 cm       | 105 cm      | 120 cm      |
| 32 cm     | AL210310.95 | AL210316.95 | AL210322.95 |
| 40 cm     | AL210311.95 | AL210317.95 | AL210323.95 |
| 45 cm     | AL210352.95 | AL210353.95 | AL210354.95 |
| 50 cm     | AL210312.95 | AL210318.95 | AL210324.95 |
| 60 cm     | AL210313.95 | AL210319.95 | AL210325.95 |



## ACCESSORIES


### FIXED HEIGHT DIVIDERS

| Height (H) / Depth (D) | 24.4 cm  | 27.7 cm  | 34.4 cm  | 44.4 cm  |
|------------------------|----------|----------|----------|----------|
| 32 cm                  | 67720.95 | 67780.95 | 67740.95 | 67760.95 |
| 40 cm                  | 67722.95 | 67782.95 | 67742.95 | 67762.95 |
| 45 cm                  | 67723.95 | 67783.95 | 67743.95 | 67763.95 |
| 50 cm                  | 67724.95 | 67784.95 | 67744.95 | 67764.95 |
| 60 cm                  | 67726.95 | 67786.95 | 67746.95 | 67766.95 |




### CLIP FOR FIXED HEIGHT DIVIDERS

|              |          |
|--------------|----------|
| Single-sided | 68111.95 |
| Double-sided | 68110.95 |




### PLASTIC DIVIDERS - Steel shelf panels

| Depth (D) | Blue      | Grey      | Black     |
|-----------|-----------|-----------|-----------|
| 32 cm     | 67070B.98 | 67070G.98 | 67070N.98 |
| 40 cm     | 67072B.98 | 67072G.98 | 67072N.98 |
| 50 cm     | 67074B.98 | 67074G.98 | 67074N.98 |
| 60 cm     | 67076B.98 | 67076G.98 | 67076N.98 |




### PLASTIC DIVIDERS - Plastic shelf panels

| Depth (D) | Blue      | Grey      | Black     |
|-----------|-----------|-----------|-----------|
| 32 cm     | 67093B.98 | 67093G.98 | 67093N.98 |
| 40 cm     | 67095B.98 | 67095G.98 | 67095N.98 |
| 50 cm     | 67097B.98 | 67097G.98 | 67097N.98 |
| 60 cm     | 67099B.98 | 67099G.98 | 67099N.98 |



### PLASTIC DIVIDERS - Magnetic profile

| Depth (D) | Blue      | Grey      | Black     |
|-----------|-----------|-----------|-----------|
| 32 cm     | 67130B.98 | 67130G.98 | 67130N.98 |
| 40 cm     | 67132B.98 | 67132G.98 | 67132N.98 |
| 50 cm     | 67134B.98 | 67134G.98 | 67134G.98 |
| 60 cm     | 67136B.98 | 67136G.98 | 67136G.98 |



## ACCESSORIES

### BACKSTOP PROFILE

Special Width (W)

67090.95

Note:

The backstop profile can be ordered through the special length code 67090.95 using the following formula:  
 Order Length (mm) = Nominal Bay Dimension - 35mm.




Use two backstop profiles to ensure the structure stability.



### PLASTIC DIVIDERS - H100 Extension

| Prof (P) | Blu       | Grigio    | Nero      |
|----------|-----------|-----------|-----------|
| 32 cm    | 67122B.98 | 67122G.98 | 67122N.98 |
| 40 cm    | 67124B.98 | 67124G.98 | 67124N.98 |
| 50 cm    | 67126B.98 | 67126G.98 | 67126N.98 |
| 60 cm    | 67128B.98 | 67128G.98 | 67128N.98 |

Maximum 2 extensions in height for each divider



### PLASTIC LABEL HOLDER

67008.98




## ACCESSORIES

### DRAWERS H66 LIGHT DUTY

| Depth (D) | Width (W) |          |          |
|-----------|-----------|----------|----------|
|           | 60 cm     | 90 cm    | 120 cm   |
| 40 cm     | 66810.98  | 66830.98 | 66833.98 |
| 50 cm     | 66811.98  | 66831.98 | 66834.98 |
| 60 cm     | 66812.98  | 66832.98 | 66835.98 |


It is mandatory to use a perforated wall in the middle of the drawer



### DRAWERS H99 LIGHT DUTY

| Depth (D) | Width (W) |          |          |
|-----------|-----------|----------|----------|
|           | 60 cm     | 90 cm    | 120 cm   |
| 40 cm     | 66813.98  | 66889.98 | 66892.98 |
| 50 cm     | 66814.98  | 66890.98 | 66893.98 |
| 60 cm     | 66815.98  | 66891.98 | 66894.98 |


It is mandatory to use a perforated wall in the middle of the drawer



### DRAWERSE H165 LIGHT DUTY

| Depth (D) | Width (W) |          |          |
|-----------|-----------|----------|----------|
|           | 60 cm     | 90 cm    | 120 cm   |
| 40 cm     | 66816.98  | 66836.98 | 66839.98 |
| 50 cm     | 66817.98  | 66837.98 | 66840.98 |
| 60 cm     | 66818.98  | 66838.98 | 66841.98 |

It is mandatory to use a perforated wall in the middle of the drawer




When using drawers, frames must always be anchored to a wall using the specified wall tie brackets.




### PERFORATED DRAWER WALL

| Depth (D) | Height (H) |           |
|-----------|------------|-----------|
|           | 4.8 cm     | 11.9 cm   |
| 40 cm     | 67842B.95  | 67842A.95 |
| 50 cm     | 67843B.95  | 67843A.95 |
| 60 cm     | 67844B.95  | 67844A.95 |



### DRAWER DIVIDER

| Depth (D) | Height (H) |           |
|-----------|------------|-----------|
|           | 4.8 cm     | 11.9 cm   |
| 5 cm      | 67845B.95  | 67845A.95 |
| 10 cm     | 67846B.95  | 67846A.95 |
| 15 cm     | 67847B.95  | 67847A.95 |
| 20 cm     | 67848B.95  | 67848A.95 |
| 30 cm     | 67849B.95  | 67849A.95 |
| 30 cm     | 67850B.95  | 67850A.95 |




## ACCESSORIES

### 2 PANEL SLIDING DOORS - Height 2m


|            |                 |
|------------|-----------------|
| Height (H) | 2 m<br>(1972mm) |
| Width (W)  | 90 cm           |
|            | 68220.--        |

Frames must always be anchored to a wall using the specified components:

- Wall fastening bracket [65022.95](#)
- Plastic anchor bolt M8x40 + cross head screw M5x50 [V1000480.98](#)



Two beams have to be placed at the top of the frames to support the top cabinet cover





## ACCESSORIES

### 3 PANEL SLIDING DOORS - Height 2m

|           |            |                 |
|-----------|------------|-----------------|
|           | Height (H) | 2 m<br>(1972mm) |
| Width (W) |            | 6822.--         |
|           | 120 cm     |                 |

Frames must always be anchored to a wall using the specified components:

- Wall fastening bracket [65022.95](#)
- Plastic anchor bolt M8x40 + cross head screw M5x50 [V1000480.98](#)



Two beams have to be placed at the top of the frames to support the top cabinet cover



ACCESSORIES

SWINGING DOORS WITH KEY LOCK

Height 2 m


| Height (H)<br>Width (W) | 2 m<br>(1972 mm) + | Fastening<br>Accessories |
|-------------------------|--------------------|--------------------------|
| 60 cm                   | 68487.98           | 68489.95                 |
| 90 cm                   | 68400.98           | 68420.95                 |
| 105 cm                  | 68401.98           | 68561.95                 |
| 120 cm                  | 68403.98           | 68423.95                 |

SWINGING DOORS WITH KEY LOCK

Height 1.8 m

| Height (H)<br>Width (W) | 2 x 1 m*<br>(1832 mm) + | Fastening<br>Accessories |
|-------------------------|-------------------------|--------------------------|
| 60 cm                   | 68600.98                | 68489.95                 |
| 90 cm                   | 68601.98                | 68420.95                 |
| 105 cm                  | 68560.98                | 68561.95                 |
| 120 cm                  | 68602.98                | 68423.95                 |

\*Spliced Swinging Doors







## ACCESSORIES

### SWINGING DOORS WITH DOUBLE KEY LOCK




Height 2 m

| Width (W) | Height (H) | 2 m (1972 mm) | + | Fastening Accessories |
|-----------|------------|---------------|---|-----------------------|
| 60 cm     |            | 68487.98      |   | 68520.95              |
| 90 cm     |            | 68400.98      |   | 68523.95              |
| 105 cm    |            | 68401.98      |   | 68573.95              |
| 120 cm    |            | 68403.98      |   | 68526.95              |



**1046 mm\***  
For H 1972 mm  
\*Beam height from ground to connect the bracket for lock

Available fixed height divider combinations



ACCESSORIES

SWINGING DOORS WITH KEY LOCK

Height 2m


|            |               |   |                       |
|------------|---------------|---|-----------------------|
| Height (H) | 2 m (1972 mm) | + | Fastening Accessories |
| Width (W)  | 60 cm         |   | 68624.95              |

SWINGING DOORS WITH KEY LOCK

Height 1.8m

|            |                    |  |                       |
|------------|--------------------|--|-----------------------|
| Height (H) | 2 x 1 m* (1832 mm) |  | Fastening Accessories |
| Width (W)  | 60 cm              |  | 68624.95              |


\*Spliced Swinging Doors



## ACCESSORIES

### SIDE CLADDING

| Height (H) \ Width (W) | 1 m (916 mm) | 1,5 m (1444 mm) | 1,7 m (1708 mm) | 2 m (1972 mm) |
|------------------------|--------------|-----------------|-----------------|---------------|
| 320cm                  | 67550.95     | 67500.95        | 67503.95        | 67504.95      |
| 400cm                  | 67552.95     | 67509.95        | 67512.95        | 67513.95      |
| 450cm                  | 67554.95     | 67540.95        | 67556.95        | 67542.95      |
| 500cm                  | 67560.95     | 67518.95        | 67521.95        | 67522.95      |
| 600cm                  | 67562.95     | 67527.95        | 67530.95        | 67531.95      |



### SIDE CLADDING - Height 1.8m

| Height (H) \ Width (W) | 2 x 1 m* (1832mm) |
|------------------------|-------------------|
| 32 cm                  | 67579.95          |
| 40 cm                  | 67580.95          |
| 45 cm                  | 67581.95          |
| 50 cm                  | 67582.95          |
| 60 cm                  | 67583.95          |

**Build your own shelving!**  
Shelving configurator

1. Choose the frame (mm)  
H: 1708 | D: 400

2. Choose the shelf dimension and material  
L: 900 | Type: MODULAB.C.

3. Number of levels  
4

Buy | Level

Get the quotation

Save your shelving config

**Accessori compatibili**

PIANETTO

- RIPANGO H 12 MM 900x400-0K

CONTENITORE MODULARE

- CONTENITORE MODULARE 900x400

PIANETTO PLASTICA

- RIPANGO PP 900x400-0K-BIANCO
- RIPANGO PP 900x400-0K-AZZURRO
- RIPANGO PP 900x400-0K-NERO

<https://superk.build>



